L	Hits	Search Text	DB	Time stamp
Number 9	17	((data?depend\$3) OR (data ADJ depend\$3)) AND 380/29.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:44
2	16	(((data?depend\$3)) OR (data ADJ depend\$3)) AND 380/29.ccls.) AND (380/29.ccls. AND ((@ad<=19980619)) OR (@prad<=19980619)) OR (@ptad<=19980619)) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:44
3	19	((data?depend\$3) OR (data ADJ depend\$3)) AND (((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)) AND 380/37.ccls.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 09:44
4	27	((((data?depend\$3) OR (data ADJ depend\$3)) AND 380/29.ccls.) AND (380/29.ccls. AND ((@ad<=19980619) OR (@prad<=19980619) OR (@prad<=19980619) OR ((data?depend\$3)) OR (data ADJ depend\$3)) AND (((@ad<=19980619) OR (@prad<=19980619) OR (@prad<=19980619) OR (@prad<=19980619) OR (@prad<=19980619) AND 380/37.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:44
5	8	(permut\$3 AND (offset\$4) AND substitut\$3) AND ((380/29.ccls. AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619))) OR (((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)) AND 380/37.ccls.))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29
6	10	((\$block?depend\$3) OR (\$block ADJ depend\$3)) AND ((380/29.ccls. AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619)) OR (((@ad<=19980619) OR (@prad<=19980619)) OR ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 09:52
12	550	(@frpd<=19980619)) AND 380/37.ccls.)) 380/29.ccls. OR 380/37.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 10:32
13	19928393	(@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 10:33
14	416	(380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 10:33
15	2815	(data ADJ encryption ADJ standard) AND DES	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 10:36
16	6	permut\$3 NEAR10 (subkey OR sub?key OR (sub ADJ key)) NEAR10 bit	USPAT; US-PGPUB; EPO; JPO; DERWENT;	2004/04/29 10:35
17	1	(permut\$3 NEAR10 (subkey OR sub?key OR (sub ADJ key)) NEAR10 bit) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619)))	IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:08

18	5	((subkey OR sub?key OR (sub ADJ key)) NEAR5 (subblock OR sub?block OR (sub ADJ block))) AND ((data ADJ encryption AND standard) OR DES)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 11:10
20	3	((subkey OR sub?key OR (sub ADJ key)) NEAR5 (subblock OR sub?block OR (sub ADJ block))) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:10
21	3	((subkey OR sub?key OR (sub ADJ key)) WITH (subblock OR sub?block OR (sub ADJ block))) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@frpd<=19980619))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 11:11
19	5	((subkey OR sub?key OR (sub ADJ key)) WITH (subblock OR sub?block OR (sub ADJ block))) AND ((data ADJ encryption AND standard) OR DES)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 13:35
22	4	((((subkey OR sub?key OR (sub ADJ key)) WITH (subblock OR sub?block OR (sub ADJ block))) AND ((data ADJ encryption AND standard) OR DES)) OR (((subkey OR sub?key OR (sub ADJ key)) WITH (subblock OR sub?block OR (sub ADJ block))) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619)))) AND (((@ad<=19980619)))) AND (((@ad<=19980619)))) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@prad<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 13:33
26	24	(\$2sub\$1i WITH \$5sub\$1j) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 14:04
27	220	permut\$3 AND (offset\$4) AND substitut\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 15:07
29	8	(permut\$3 AND (offset\$4) AND substitut\$3) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@ptad<=19980619) OR (@frpd<=19980619)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29
30	2129	substitut\$3 NEAR5 key	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29
31	8	substitut\$3 NEAR5 subkey	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 15:12
32	2	(substitut\$3 NEAR5 (sub\$1key OR (sub ADJ key))) AND ((380/29.ccls. OR 380/37.ccls.) AND ((@ad<=19980619) OR (@prad<=19980619) OR (@prad<=19980619))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM TDB	2004/04/29 15:15
33	1		USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/04/29 15:19

34	5	((permut\$3 OR permutat\$3) NEAR5 (sub\$1key	USPAT;	2004/04/29
		OR (sub ADJ key))) AND ((380/29.ccls. OR	US-PGPUB;	15:22
		380/37.ccls.) AND ((@ad<=19980619) OR	EPO; JPO;	
		(@prad<=19980619) OR (@ptad<=19980619) OR	DERWENT;	
		(@frpd<=19980619)))	IBM_TDB	
35	0	((cycl\$2 NEAR5 (offset\$4 OR shift\$3))	USPAT;	2004/04/29
		NEAR5 (sub\$1key OR (sub ADJ key))) AND	US-PGPUB;	15:23
		((380/29.ccls. OR 380/37.ccls.) AND	EPO; JPO;	
		((@ad<=19980619) OR (@prad<=19980619) OR	DERWENT;	
26		(@ptad<=19980619) OR (@frpd<=19980619)))	IBM_TDB	2224/24/22
36	0	((cycl\$2 NEAR5 (offset\$4 OR shift\$3))	USPAT;	2004/04/29
		WITH (sub\$1key OR (sub ADJ key))) AND	US-PGPUB;	15:24
		((380/29.ccls. OR 380/37.ccls.) AND	EPO; JPO;	
		((@ad<=19980619) OR (@prad<=19980619) OR	DERWENT;	
37	o	(@ptad<=19980619) OR (@frpd<=19980619))) ((cycl\$2 WITH (offset\$4 OR shift\$3)) WITH	IBM_TDB USPAT;	3004/04/30
31	0	(sub\$1key OR (sub ADJ key))) AND		2004/04/29 15:24
		((380/29.ccls. OR 380/37.ccls.) AND	US-PGPUB; EPO; JPO;	15:24
		((@ad<=19980619) OR (@prad<=19980619) OR	DERWENT;	
		(@ptad<=19980619) OR (@frpd<=19980619)))	IBM TDB	
38	22	((cycl\$2 NEAR5 (offset\$4 OR shift\$3)))	USPAT;	2004/04/29
50	'2'	AND ((380/29.ccls. OR 380/37.ccls.) AND	US-PGPUB;	15:24
		((@ad<=19980619) OR (@prad<=19980619) OR	EPO; JPO;	10.47
		(@ptad<=19980619) OR (@frpd<=19980619)))	DERWENT;	
		(cpsaar=15500015) OK (G11par=15500015)))	IBM TDB	
39	13	((cycl\$2 NEAR5 (offset\$4 OR shift\$3))	USPAT;	2004/04/29
	13	NEARS bit) AND ((380/29.ccls. OR	US-PGPUB;	15:25
		380/37.ccls.) AND ((@ad<=19980619) OR	EPO; JPO;	13.23
		(@prad<=19980619) OR (@ptad<=19980619) OR	DERWENT;	
		(@frpd<=19980619)))	IBM TDB	
_	353	380/37.ccls.	USPAT;	2004/04/27
	333	300/37.6613.	US-PGPUB;	10:34
			EPO; JPO;	10.01
			DERWENT;	
			IBM TDB	
_	2	dual\$1locus OR (dual ADJ locus)	USPAT;	2004/04/27
	1		US-PGPUB;	10:36
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	281	380/29.ccls.	USPAT;	2004/04/28
	i		US-PGPUB;	18:07
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	243	380/29.ccls. AND ((@ad<=19980619) OR	USPAT;	2004/04/28
	İ	(@prad<=19980619) OR (@ptad<=19980619) OR	US-PGPUB;	18:07
		(@frpd<=19980619))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	[
-	11723	(data?depend\$3) OR (data ADJ depend\$3)	USPAT;	2004/04/28
			US-PGPUB;	18:25
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	244		USPAT;	2004/04/28
		(@ptad<=19980619) OR (@frpd<=19980619))	US-PGPUB;	18:17
		AND 380/37.ccls.	EPO; JPO;	
			DERWENT;	
		1 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	IBM_TDB	0004/04/55
-	0		USPAT;	2004/04/28
	1	substitution	US-PGPUB;	18:19
	1		EPO; JPO;	
	1		DERWENT;	
		(4) 7 10 1 100 100 100 100 100 100 100 100	IBM_TDB	0004/04/00
-	1811	(\$block?depend\$3) OR (\$block ADJ	USPAT;	2004/04/28
		depend\$3)	US-PGPUB;	18:22
			EPO; JPO;	
			DERWENT;	
1	Ì	i e e e e e e e e e e e e e e e e e e e	IBM TDB	i

_	11455	(\$block?depend\$3) OR (\$block ADJ	USPAT;	2004/04/28
		depend\$3) OR (\$block NEAR3 depend\$3)	US-PGPUB;	18:22
		•	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	62012	(data?depend\$3) OR (data ADJ depend\$3) OR	USPAT;	2004/04/28
		(data NEAR3 depend\$3)	US-PGPUB;	18:23
		•	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2155713	convert\$3 OR conversion	USPAT;	2004/04/28
			US-PGPUB;	18:24
			EPO; JPO;	
			DERWENT;	
	1		IBM TDB	1
- 194	194	(convert\$3 OR conversion) AND	USPAT;	2004/04/28
		((380/29.ccls. AND ((@ad<=19980619) OR	US-PGPUB;	18:25
		(@prad<=19980619) OR (@ptad<=19980619) OR	EPO; JPO;	
		(@frpd<=19980619))) OR (((@ad<=19980619)	DERWENT;	
		OR (@prad<=19980619) OR (@ptad<=19980619)	IBM TDB	
		OR (@frpd<=19980619)) AND 380/37.ccls.))	_	
_	416	(380/29.ccls. AND ((@ad<=19980619) OR	USPAT;	2004/04/29
		(@prad<=19980619) OR (@ptad<=19980619) OR	US-PGPUB;	10:31
		(@frpd<=19980619))) OR (((@ad<=19980619)	EPO; JPO;	
		OR (@prad<=19980619) OR (@ptad<=19980619)	DERWENT;	
		OR (@frpd<=19980619)) AND 380/37.ccls.)	IBM TDB	
-	196	((data ADJ encryption ADJ standard) AND	USPAT;	2004/04/28
		DES) AND ((380/29.ccls. AND	US-PGPUB;	18:32
		((@ad<=19980619) OR (@prad<=19980619) OR	EPO; JPO;	
		(@ptad<=19980619) OR (@frpd<=19980619)))	DERWENT;	
		OR (((@ad<=19980619) OR (@prad<=19980619)	IBM TDB	
		OR (@ptad<=19980619) OR	_	
		(@frpd<=19980619)) AND 380/37.ccls.))		